**PALM INTRANET**

## Inventor Name Search Result

Your Search was:

Last Name = LUI
First Name = GEE

| Application# | Patent# | Status | Date Filed | Title | Inventor Name 6 |
|---|---|---|---|---|---|
| 60305935 | Not Issued | 159 | 07/16/2001 | SYSTEM AND METHOD FOR POLARIZATION MODUALTION-BASED OPTICAL COMMUNICATIONS | LUI, GEE |
| 09956392 | 6476739 | 150 | 09/18/2001 | METHOD AND PROCESSING SYSTEM FOR ESTIMATING LIKELIHOOD RATIOS FOR INPUT SYMBOL VALUES | LUI, GEE L. |
| 09696525 | Not Issued | 041 | 10/23/2000 | DATA AIDED SYMBOL TIMING TRACKING SYSTEM FOR PRECODED CONTINUOUS PHASE MODULATED SIGNALS | LUI, GEE L. |
| 09694650 | 6771713 | 150 | 10/24/2000 | DATA AIDED CARRIER PHASE TRACKING SYSTEM FOR PRECODED CONTINUOUS PHASE MODULATED SIGNALS | LUI, GEE L. |
| 09390966 | Not Issued | 041 | 09/07/1999 | GAUSSIAN MINIMUM SHIFT KEYING (GMSK) PRECODING COMMUNICATION METHOD | LUI , GEE L. |
| 09312729 | 6449304 | 150 | 05/14/1999 | METHOD OF DETERMINING THE CARRIER REFERENCE PHASE OF COHERENT DEMODULATION OF FREQUENCY HOPPED CONTINUOUS PHASE MODULATED SIGNALS WITH SYNCH WORDS ARBITRARILY LOCATED WITHIN THE HOP | LUI , GEE L. |

## Inventor Search Completed: No Records to Display.

|  | Last Name | First Name |
|---|---|---|
| **Search Another: Inventor** | | |

PALM INTRANET

## Inventor Name Search Result

Your Search was:

Last Name = TSAI
First Name = KUANG

| Application# | Patent# | Status | Date Filed | Title | Inventor Name 22 |
|---|---|---|---|---|---|
| 60305935 | Not Issued | 159 | 07/16/2001 | SYSTEM AND METHOD FOR POLARIZATION MODUALTION-BASED OPTICAL COMMUNICATIONS | TSAI, KUANG |
| 10812447 | Not Issued | 018 | 03/29/2004 | COLD CATHODE FLUORESCENT FLAT LAMP | TSAI, KUANG-LUNG |
| 09986185 | Not Issued | 161 | 11/07/2001 | REFLECTIVE- TYPE LIQUID CRYSTAL DISPLAY | TSAI, KUANG LUNG |
| 09981860 | Not Issued | 071 | 10/17/2001 | PLANAR FLUORESCENT LAMP | TSAI, KUANG-LUNG |
| 09967716 | Not Issued | 161 | 09/27/2001 | COLOR FLUORESCENT LAMP | TSAI, KUANG-LUNG |
| 09956392 | 6476739 | 150 | 09/18/2001 | METHOD AND PROCESSING SYSTEM FOR ESTIMATING LIKELIHOOD RATIOS FOR INPUT SYMBOL VALUES | TSAI, KUANG |
| 09755901 | 6452327 | 150 | 01/03/2001 | FLUORESCENT LAMP MODULE STRUCTURE | TSAI, KUANG-IUNG |
| 09754360 | Not Issued | 161 | 01/05/2001 | BACKLIGHT MODULE FOR TRANSFLECTIVE LIQUID CRYSTAL DISPLAY | TSAI, KUANG-LUNG |
| 09703380 | 6508931 | 150 | 10/31/2000 | PROCESS FOR THE PRODUCTION OF WHITE OIL | TSAI, KUANG-HUA |
| 09696525 | Not Issued | 041 | 10/23/2000 | DATA AIDED SYMBOL TIMING TRACKING SYSTEM FOR PRECODED CONTINUOUS PHASE MODULATED SIGNALS | TSAI, KUANG |
| 09694650 | 6771713 | 150 | 10/24/2000 | DATA AIDED CARRIER PHASE TRACKING SYSTEM FOR PRECODED CONTINUOUS PHASE MODULATED SIGNALS | TSAI, KUANG |

| | | | | | |
|---|---|---|---|---|---|
| 09628216 | 6348765 | 150 | 07/28/2000 | SYCHRONOUS SWITCHING DEVICE FOR FLUORESCENT LAMP | TSAI, KUANG-LUNG |
| 09482583 | 6426590 | 150 | 01/13/2000 | PLANAR COLOR LAMP WITH NANOTUBE EMITTERS AND METHOD FOR FABRICATING | TSAI, KUANG-LUNG |
| 09390966 | Not Issued | 041 | 09/07/1999 | GAUSSIAN MINIMUM SHIFT KEYING (GMSK) PRECODING COMMUNICATION METHOD | TSAI , KUANG |
| 09366910 | 6280524 | 150 | 08/04/1999 | APPARATUS AND METHOD FOR COATING FLUORESCENT POWDER ON A FLAT PANEL | TSAI , KUANG-LUNG |
| 09273023 | 6639351 | 150 | 03/19/1999 | PLANAR FLUORESCENT LAMP WITH FLAT ELECTRODES AND METHOD FOR FABRICATING | TSAI , KUANG LUNG |
| 09264526 | Not Issued | 168 | 03/08/1999 | PLANAR FLUORESCENT LAMP WITH SPIRAL DISCHARGE CHANNEL ANS METHOD FOD FABRICATION | TSAI , KUANG LUNG |
| 09206039 | 6486598 | 150 | 12/04/1998 | FLUORESCENT LAMP HAVING PLURALITY OF SUB-CHAMBERS AND METHOD FOR FABRICATING | TSAI , KUANG LUNG |
| 09090355 | 5910333 | 150 | 06/04/1998 | PHOSPHOR PARTICLE WITH ANTIRELECTION COATING | TSAI , KUANG-LUNG |
| 09031811 | 6011354 | 150 | 02/27/1998 | FLUORESCENT COLOR LAMP FOR LCD PANEL | TSAI , KUANG-LUNG |
| 08884915 | 5897927 | 150 | 06/30/1997 | SEAL FOR VACUUM DEVICES AND METHODS FOR MAKING SAME | TSAI , KUANG-LUNG |
| 08757572 | 5804914 | 150 | 11/27/1996 | FLUORESCENT LAMP HAVING ADDITIONAL AND INTERIOR FLUORESCENT SURFACES TO INCREASE LUMINOSITY | TSAI , KUANG-LUNG |

## Inventor Search Completed: No Records to Display.

| | Last Name | First Name | |
|---|---|---|---|
| **Search Another: Inventor** | tsai | kuang | Search |

To go back use Back button on your browser toolbar.

Back to  PALM | ASSIGNMENT | OASIS | Home page

| | Type | Hits | Search Text | DBs | Time Stamp | Comments | Error Definition | Errors |
|---|------|------|-------------|-----|-----------|----------|------------------|--------|
| 1 | BRS | 914 | Synchroniz$3 and isolat$3 and demodulat$3 and mix$3 and error and oscillat$3 | USPAT; EPO; DERWENT | 2004/11/13 10:53 | | | 0 |
| 2 | IS&R | 474 | (375/362).CCLS. | USPAT | 2004/01/20 09:34 | | | 0 |
| 3 | IS&R | 569 | (375/316).CCLS. | USPAT | 2004/01/20 09:35 | | | 0 |
| 4 | IS&R | 373 | (375/329).CCLS. | USPAT | 2004/01/20 09:35 | | | 0 |
| 5 | IS&R | 186 | (375/330).CCLS. | USPAT | 2004/01/20 09:35 | | | 0 |
| 6 | IS&R | 149 | (375/331).CCLS. | USPAT | 2004/01/20 09:35 | | | 0 |
| 7 | IS&R | 348 | (375/334).CCLS. | USPAT | 2004/01/20 09:35 | | | 0 |
| 8 | IS&R | 88 | (375/335).CCLS. | USPAT | 2004/01/20 09:36 | | | 0 |
| 9 | IS&R | 78 | (375/336).CCLS. | USPAT | 2004/01/20 09:36 | | | 0 |
| 10 | BRS | 2 | (Synchroniz$3 and isolat$3 and demodulat$3 and mix$3 and error and oscillat$3) and ((375/334).CCLS.) | USPAT; EPO; DERWENT | 2004/04/28 08:47 | | | 0 |
| 11 | BRS | 33 | Synchroniz$3 and isolat$3 and demodulat$3 and mix$3 and error and oscillat$3 and CPM | USPAT; EPO; DERWENT | 2004/01/20 09:38 | | | 0 |
| 12 | BRS | 3 | (Synchroniz$3 and isolat$3 and demodulat$3 and mix$3 and error and oscillat$3) and ((375/331).CCLS.) | USPAT; EPO; DERWENT | 2004/04/15 11:16 | | | 0 |
| 13 | BRS | 3 | (Synchroniz$3 and isolat$3 and demodulat$3 and mix$3 and error and oscillat$3) and ((375/330).CCLS.) | USPAT; EPO; DERWENT | 2004/01/20 09:46 | | | 0 |
| 14 | BRS | 6 | (Synchroniz$3 and isolat$3 and demodulat$3 and mix$3 and error and oscillat$3) and ((375/329).CCLS.) | USPAT; EPO; DERWENT | 2004/01/20 09:48 | | | 0 |
| 15 | BRS | 8 | (Synchroniz$3 and isolat$3 and demodulat$3 and mix$3 and error and oscillat$3) and ((375/316).CCLS.) | USPAT; EPO; DERWENT | 2004/01/20 09:50 | | | 0 |
| 16 | IS&R | 394 | (375/326).CCLS. | USPAT | 2004/01/23 07:51 | | | 0 |
| 17 | BRS | 14 | (Synchroniz$3 and isolat$3 and demodulat$3 and mix$3 and error and oscillat$3) and ((375/326).CCLS.) | USPAT; EPO; DERWENT | 2004/03/24 11:03 | | | 0 |
| 18 | BRS | 3061 | (QAM or QPSK or DQPSK or I/Q or quadrature) near3 (isolat$3 or split$4 or divid$3 or separat$3) | USPAT; US-PGPUB; EPO; DERWENT | 2004/03/15 10:15 | | | 0 |
| 19 | BRS | 82 | ((QAM or QPSK or DQPSK or I/Q or quadrature) near3 (isolat$3 or split$4 or divid$3 or separat$3)) same demodulat$3 same ((error neear3 magnitude) or (magnitude near3 generat$3) or (magnitude near3 detect$3) or (magnitude near3 calculat$3) or (magnitude near3 estimat$3)) | USPAT; US-PGPUB; EPO; DERWENT | 2004/03/15 10:19 | | | 0 |

| | Type | Hits | Search Text | DBs | Time Stamp | Comments | Error Definition | Errors |
|---|---|---|---|---|---|---|---|---|
| 20 | BRS | 738 | demodulat$3 same odd same even | USPAT; US-PGPUB; EPO; DERWENT | 2004/03/15 10:20 | | | 0 |
| 21 | BRS | 40 | ((QAM or QPSK or DQPSK or I/Q or quadrature) near3 (isolat$3 or split$4 or divid$3 or separat$3)) and (demodulat$3 same odd same even) | USPAT; US-PGPUB; EPO; DERWENT | 2004/11/13 10:57 | | | 0 |
| 22 | BRS | 2 | (((QAM or QPSK or DQPSK or I/Q or quadrature) near3 (isolat$3 or split$4 or divid$3 or separat$3)) same demodulat$3 same ((error neear3 magnitude) or (magnitude near3 generat$3) or (magnitude near3 detect$3) or (magnitude near3 calculat$3) or (magnitude near3 estimat$3))) and (demodulat$3 same odd same even) | USPAT; US-PGPUB; EPO; DERWENT | 2004/04/15 11:19 | | | 0 |
| 23 | BRS | 280 | Synchroniz$3 and isolat$3 and demodulat$3 and mix$3 and error and oscillat$3 and (sign or sign$1) | USPAT; EPO; DERWENT | 2004/03/24 11:13 | | | 0 |
| 24 | BRS | 429 | Synchroniz$3 and isolat$3 and demodulat$3 and mix$3 and error and oscillat$3 and (sign or sign$1 or polarity) | USPAT; EPO; DERWENT | 2004/03/24 11:13 | | | 0 |
| 25 | IS&R | 2 | ("6208201").PN. | USPAT; US-PGPUB; EPO; DERWENT | 2004/04/15 11:17 | | | 0 |
| 26 | BRS | 199 | (modulo same count$3) and (loop same filter) and error and even and odd and synchroniz$3 and control$4 | USPAT; US-PGPUB; EPO; DERWENT | 2004/04/15 11:21 | | | 0 |
| 27 | BRS | 40 | ((QAM or QPSK or DQPSK or I/Q or quadrature) near3 (isolat$3 or split$4 or divid$3 or separat$3)) and (demodulat$3 same odd same even) | USPAT; US-PGPUB; EPO; DERWENT | 2004/04/28 13:00 | | | 0 |
| 28 | BRS | 1 | ((QAM or QPSK or DQPSK or I/Q or quadrature) near3 (isolat$3 or split$4 or divid$3 or separat$3)) and (demodulat$3 same odd same even) and (modulo same count$3) | USPAT; US-PGPUB; EPO; DERWENT | 2004/04/28 12:04 | | | 0 |
| 29 | IS&R | 1 | ("6208201").PN. | USPAT | 2004/04/28 08:48 | | | 0 |
| 30 | IS&R | 1 | ("5089822").PN. | USPAT | 2004/04/28 08:48 | | | 0 |
| 31 | IS&R | 1 | ("6151367").PN. | USPAT | 2004/04/28 08:49 | | | 0 |
| 32 | BRS | 1 | multiplex$3 and estimat$3 and (("6208201").PN.) | USPAT; US-PGPUB; EPO; DERWENT | 2004/04/28 12:04 | | | 0 |
| 33 | BRS | 1 | multiplex$3 and estimat$3 and (("6151367").PN.) | USPAT; US-PGPUB; EPO; DERWENT | 2004/04/28 12:05 | | | 0 |
| 34 | BRS | 1 | multiplex$3 and estimat$3 and (("5089822").PN.) | USPAT; US-PGPUB; EPO; DERWENT | 2004/04/28 12:05 | | | 0 |

| | Type | Hits | Search Text | DBs | Time Stamp | Comments | Error Definition | Errors |
|---|------|------|-------------|-----|------------|----------|------------------|--------|
| 35 | IS&R | 1 | ("4355214").PN. | USPAT | 2004/04/28 12:04 | | | 0 |
| 36 | IS&R | 1 | ("6546055").PN. | USPAT | 2004/04/28 12:23 | | | 0 |
| 37 | BRS | 36 | ((QAM or QPSK or DQPSK or I/Q or quadrature) near3 (isolat$3 or split$4 or divid$3 or separat$3)) and (demodulat$3 same odd same even) and limit$3 | USPAT; US-PGPUB; EPO; DERWENT | 2004/04/28 13:00 | | | 0 |
| 38 | IS&R | 1 | ("5963586").PN. | USPAT | 2004/04/28 13:13 | | | 0 |
| 39 | IS&R | 1005 | (375/316).CCLS. | USPAT; US-PGPUB; EPO; DERWENT | 2004/11/13 10:54 | | | 0 |
| 40 | IS&R | 572 | (375/362).CCLS. | USPAT; US-PGPUB; EPO; DERWENT | 2004/11/13 10:54 | | | 0 |
| 41 | IS&R | 501 | (375/326).CCLS. | USPAT; US-PGPUB; EPO; DERWENT | 2004/11/13 10:54 | | | 0 |
| 42 | IS&R | 470 | (375/329).CCLS. | USPAT; US-PGPUB; EPO; DERWENT | 2004/11/13 10:58 | | | 0 |
| 43 | IS&R | 424 | (375/334).CCLS. | USPAT; US-PGPUB; EPO; DERWENT | 2004/11/13 11:05 | | | 0 |
| 44 | BRS | 0 | ((QAM or QPSK or DQPSK or I/Q or quadrature) near3 (isolat$3 or split$4 or divid$3 or separat$3)) and (demodulat$3 same odd same even) and ((375/316).CCLS.) | USPAT; US-PGPUB; EPO; DERWENT | 2004/11/13 10:57 | | | 0 |
| 45 | BRS | 0 | ((QAM or QPSK or DQPSK or I/Q or quadrature) near3 (isolat$3 or split$4 or divid$3 or separat$3)) and (demodulat$3 same odd same even) and ((375/362).CCLS.) | USPAT; US-PGPUB; EPO; DERWENT | 2004/11/13 10:57 | | | 0 |
| 46 | BRS | 0 | ((QAM or QPSK or DQPSK or I/Q or quadrature) near3 (isolat$3 or split$4 or divid$3 or separat$3)) and (demodulat$3 same odd same even) and ((375/334).CCLS.) | USPAT; US-PGPUB; EPO; DERWENT | 2004/11/13 10:58 | | | 0 |
| 47 | IS&R | 658 | (375/261).CCLS. | USPAT; US-PGPUB; EPO; DERWENT | 2004/11/13 10:58 | | | 0 |
| 48 | BRS | 2 | ((QAM or QPSK or DQPSK or I/Q or quadrature) near3 (isolat$3 or split$4 or divid$3 or separat$3)) and (demodulat$3 same odd same even) and ((375/261).CCLS.) | USPAT; US-PGPUB; EPO; DERWENT | 2004/11/13 10:58 | | | 0 |
| 49 | BRS | 3 | ((QAM or QPSK or DQPSK or I/Q or quadrature) near3 (isolat$3 or split$4 or divid$3 or separat$3)) and (demodulat$3 same odd same even) and ((375/329).CCLS.) | USPAT; US-PGPUB; EPO; DERWENT | 2004/11/13 11:00 | | | 0 |

| | Type | Hits | Search Text | DBs | Time Stamp | Comments | Error Definition | Errors |
|---|---|---|---|---|---|---|---|---|
| 50 | BRS | 2 | ((QAM or QPSK or DQPSK or I/Q or quadrature) near3 (isolat$3 or split$4 or divid$3 or separat$3)) and (demodulat$3 same odd same even) and ((375/326).CCLS.) | USPAT; US-PGPUB; EPO; DERWENT | 2004/11/13 11:05 | | | 0 |
| 51 | IS&R | 144 | (329/308).CCLS. | USPAT; US-PGPUB; EPO; DERWENT | 2004/11/13 11:05 | | | 0 |
| 52 | BRS | 1 | ((QAM or QPSK or DQPSK or I/Q or quadrature) near3 (isolat$3 or split$4 or divid$3 or separat$3)) and (demodulat$3 same odd same even) and ((329/308).CCLS.) | USPAT; US-PGPUB; EPO; DERWENT | 2004/11/13 11:05 | | | 0 |

**IEEE**

Membership   Publications/Services   Standards   Conferences   Careers/Jobs

# IEEE *Xplore*®
RELEASE 1.8

Welcome
**United States Patent and Trademark Office**

**Welcome to IEEE *Xplore*®**

O- Home
O- What Can
   I Access?
O- Log-out

**Tables of Contents**

O- Journals
   & Magazines
O- Conference
   Proceedings
O- Standards

**Search**

O- By Author
O- Basic
O- Advanced
O- CrossRef

**Member Services**

O- Join IEEE
O- Establish IEEE
   Web Account
O- Access the
   IEEE Member
   Digital Library

**IEEE Enterprise**

O- Access the
   IEEE Enterprise
   File Cabinet

**Try our New Full-text Search Prototype** GO   Help

1) Enter keywords in one or more text boxes.
2) Select the fields to search for each keyword.
3) Select search operators when using multiple keywords.
4) Limit the results by selecting Search Options.
5) Click Search. See Search Examples

| timing synchronizer |   In: | All Fields |

And

| isolator |   In: | All Fields |

And

| serial demodulator |   In: | All Fields |

Search   Clear

**Note:** This function returns plural and suffixed forms of the keyword(s).

**Search Options:**
**Select publication types:**

☑ IEEE Journals
☑ IEE Journals
☑ IEEE Conference proceedings
☑ IEE Conference proceedings
☑ IEEE Standards

**Select years to search:** .

From year: All   to Present

**Organize search results by:**

Sort by: Relevance
In: Descending   order
List 15   Results per page

*HOUL 27/14 27/12*